

Optical Sciences 2 – Advanced Practice Contact Lens Examination Results

January 17, 2021

Coquitlam, British Columbia

The pass mark for this National Contact Lens Examination: Overall Mark of 65%

NACOR ID	Section 1	Section 2	Section 3	Section 5	Overall Mark	Result
6285	66	81	58	70	69	Pass
6363	68	41	52	55	55	Fail
6465	52	66	54	63.5	60	Fail
6495	85	31	38	28	45	Fail
6509	77	69	84	69	73	Pass
6511	77	66	56	88	77	Pass
6516	86	53	60	77	73	Pass
6528	57	50	28	51	49	Fail
6529	42	59	40	73	58	Fail
6537	70.5	25	60	55	54	Fail
6541	67	59	38	63.5	60	Fail
6542	100	56	74	69	75	Pass
6552	86	84	40	70	73	Pass
6556	73	47	78	86.5	75	Pass
6564	64	53	34	68	59	Fail
6587	97	69	76	80	81	Pass
6629	83	37.5	52	59.5	60	Fail
6630	43	6	72	39	39	Fail
6634	74	31	82	16	43	Fail
6636	79.5	53	78	47	61	Fail
6638	75	72	40	84	73	Pass
6639	86	62.5	78	86.5	81	Pass
6640	75	53	36	67	61	Fail
6644	79.5	72	76	57	68	Pass
6647	82	41	36	77	66	Pass
6649	54.5	34	32	42	42	Fail
6650	75	59	58	76	70	Pass